EAST Search History (17 pages)

		8M	&m			SM_
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20020087867"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 08:56
S2	34	oberle-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 12:45
S3	142	walker-chris\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 12:45
S4	575890	RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:02
S5	8	S2 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 12:49
S6	18	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 12:49
S7	11551	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:08
S8	11358	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) and reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:05

3/3/2006 10:49:38 AM

S9	11270	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) with reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 12:59
S10	11234	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 12:59
S11	11230	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader same encryption and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:00
S12	11230	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader same encryption and key and password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:26
S13	11230	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader same encryption and key and password and (time\$stamp\$ timestamp "time stamp")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:01
S14	11230	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader same encryption and key and password and (time\$stamp\$ timestamp "time stamp") and decrypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:03
S16	11230	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader same encryption and key and password and (time\$stamp\$ timestamp "time stamp") and decrypt\$4 and ("public/private" public-private (public next private)) and hidden	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:05

S17	5446	S7 and reader	US-PGPUB;	OR	ON	2005/08/30 13:06
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S18	3459	S7 with reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:06
S19	1602	S7 adj reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:27
S20	167	S19 and encrypt\$4 and decrypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:08
S21	150	S20 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:42
S22	64	S21 and password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 10:45
S23	6	US-5023908-\$.DID. OR US-5058161-\$.DID. OR US-5963134-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 14:38
S24	4	US-6133833-\$.DID. OR US-6130623-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:28

T = :	1	T	T	T		
S25	278	713/183.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 15:09
S26	453	713/170.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:33
S27	4	713/183.ccls. and (RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:32
S28	2	713/170.ccls. and (RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:35
S29	11620	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:44
S30	310	S29 adj reader and keypad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:27
S31	1611	S29 adj reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:42
532	168	S31 and encrypt\$4 and decrypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:47

S33	75	S32 and key and keypad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:43
S34	2	"5963134".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:43
S35	11325	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) and keypad and (interface gui "graphical user interface" "user interface" screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:46
S36	1124	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and keypad and (interface gui "graphical user interface" "user interface" screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:47
S37	1098	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader) and keypad and (interface gui "graphical user interface" "user interface" screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:47
S38	81	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader) and keypad and (interface gui "graphical user interface" "user interface" screen) and (S31 and encrypt\$4 and decrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:48
S39	20	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader) and keypad and (interface gui "graphical user interface" "user interface" screen) and (S31 and encrypt\$4 and decrypt\$4) and password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:31

S40	25	713/183.ccls. and rf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 15:10
S41	32	713/183.ccls. and (rf rfid "radio frequency" "radio-frequency")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 15:10
S42	32	713/183.ccls. and (rf rfid "radio frequency" "radio-frequency" radiofrequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 15:11
S43	45	((RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader) and password).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:32
S44	2726	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 13:28
S45	728	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and card and password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:11
S46	634	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and card and password and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:11
S47	342	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and card and password and interface and encrypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:12

	,-		<u>,</u>		,	
S48	333	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and card and password and interface and encrypt\$4 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:12
S49	295	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and card and password and interface and encrypt\$4 and network and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:13
S50	241	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and card and password and interface and encrypt\$4 and network and key and (keypad keyboard)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:13
S51	68	((RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj reader) and card and password and interface and encrypt\$4 and network and key and (keypad keyboard)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:14
S52	9	("20020060639"   "4367458"   "4613848"   "6091320"   "6150948"   "6204760"   "6617963"   "6624750"   "6693513").PN. OR ("6888459").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 13:12
S53	2	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and 713/170.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:20
S54	11	("4240064"   "4847485"   "5682032"   "6040773").PN. OR ("6150948"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 13:52
S55	1	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and 713/170.ccls. and encrypt\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:15

S56	436	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and password and message and encrypt\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:16
S57	345	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and password and message and encrypt\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:16
S58	162	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and password and message and encrypt\$ and decrypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:17
S59	142	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and password and message and encrypt\$ and decrypt\$4 and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:17
S60	138	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and password and message and encrypt\$ and decrypt\$4 and interface and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:17
S61	129	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and password and message and encrypt\$ and decrypt\$4 and interface and key and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:47

S62	15	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and password and message and encrypt\$ and decrypt\$4 and interface and key and card and time\$stamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:18
S63	0	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and password and message and encrypt\$ and decrypt\$4 and interface and key and card and 713/168.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:48
S64	7	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and password and 713/168.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:51
S65	3	"6229445".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:51
S66	29	("20020129246"   "20030018893"   "20030028787"   "20030179078"   "20040049451"   "4075632"   "4352183"   "4360810"   "5521601"   "5530702"   "5550547"   "5649296"   "5757923"   "5777561"   "5850187"   "5883582"   "5940006"   "5986570"   "5995019"   "6091319"   "6130623"   "6177861"   "6236315"   "6265962"   "6307848"   "6317028"   "6323566"   "6366260"   "6726099").PN. OR ("6842106"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 16:55

S67	31	("5151684"   "5305199"   "5319544"   "5469142"   "5533079"   "5671362"   "5741985"   "5777884"   "5781004"   "5841770"   "5842118"   "5949335"   "5959568"   "5962834"   "6034603"   "6050490"   "6078251"   "6091319"   "6107910"   "6150948"   "6236315"   "6265963"   "6269342"   "6317028"   "6330971"   "6337634"   "6351630"   "6353406"   "6362737"   "6421426").PN. OR ("6726099").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 17:06
S68	27	(US-20010027439-\$ or US-20020060639-\$ or US-20020129246-\$ or US-20030093680-\$ or US-20030177025-\$ or US-20040016796-\$ or US-20050035192-\$ or US-20050077349-\$ or US-20050101841-\$ or US-20050150952-\$).did. or (US-4367458-\$ or US-4613848-\$ or US-5007085-\$ or US-6088450-\$ or US-6040773-\$ or US-6088450-\$ or US-6091320-\$ or US-6150948-\$ or US-6204760-\$ or US-6229445-\$ or US-6362737-\$ or US-6510517-\$ or US-6617963-\$ or US-6624750-\$ or US-6693513-\$ or US-6768419-\$ or US-6922779-\$).did.	US-PGPUB; USPAT	OR	ON	2005/09/08 10:42
S70	12	S68 and building	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 10:43
S71	10	S68 and building and access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 10:54
S72	8	S68 and key and encrypt\$ and decrypt\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 10:54

	Γ .			0.5	011	2005/02/05 11 55
S73	6	S68 and key and encrypt\$ and decrypt\$ and reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:02
S74	2062	(RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)) adj reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:03
S75	40	(((((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)) adj reader) with key) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:15
S76	39	(((((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)) adj reader) with key) with encrypt\$) with decrypt\$) and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:16
S77	102838	(RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification))and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:16
S78	24738	(RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)) near3 card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:16
S79	20222	(RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)) near2 card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:17
S80	12039	(RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)) adj card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:17

S81	643	((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)) adj card) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:17
S82	40	(((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)) adj card) with key) with encrypt\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:24
S83	5	(((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj card) with key) with encrypt\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:03
S84	11675	(RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:04
S85	1619	((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj reader)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:04
S86	222	(((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj reader) with card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:27
S87	8	((((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj reader) with card) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:28
S88	332	(((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj reader) same card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:27

S89	222	(((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj reader) with card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:46
S90	14	((((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj reader) with card) same key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:31
S91	25	(((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj reader) with card) and encrypt\$ and decrypt\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:47
S92	2	"5874902".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 08:02
S94	37	("3703714"   "4075632"   "4242671"   "4369557"   "4384288"   "4501938"   "4509093"   "4568918"   "4918425"   "4926182"   "4940245"   "5019801"   "5113184"   "5136131"   "5299227"   "5319364"   "5379033"   "5448110"   "5525992"   "5621412"   "5649296"   "5764180"   "5852289"   "5917423"   "5942978"   "5952937"   "5963177"   "5972152"   "5972156"   "5983347"   "5988510"   "6037879"   "6130602"   "6285295").PN. OR ("6693513"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 10:07
S95	6	"08705043"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 11:11
S96	2	"6130623".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 11:11

C07		WEQ42070W	LIC DOD'IE	00	ON	2005/00/42 42 55
S97	2	"5942978".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 12:55
S98	26	("4553136"   "4575624"   "5151684"   "5426419"   "5587703").PN. OR ("5942978").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 14:56
S99	6	S98 and card and reader	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 14:58
S10 0	1	"5426419".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 15:00
S10 1	1	"5528914".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 14:59
S10 2	1	"5535606".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 14:59
S10 3	1	"5005125".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 14:59
S10 4	91	("5193114" "5481612" "5771291" "5199072" "6230269" "5455863" "5689563" "6661352" "5640002" "6611673" "5689242" "6011320" "6211862" "6211862" "6225906" "6225906" "5752079" "5475377" "5565857" "6834795" "4438824" "5543798" "5784461" "6078908" "5428683" "5920628" "6219439" "6219439" "6219439" "6215992" "6215992" "5995624" "5784464" "6173402" "6195432" "6332025" "5590199" "6075861" "6134661" "6871278" "5696824" "6820204" "5978483" "5629981" "6229442" "5786626" "5266783" "5389772" "5446265" "5512887").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 08:45
S10 5	9	S104 and (RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 12:17

S10 6	2	"6089284".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:50
S10 7	2	"5053774".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:55
S10 8	2	"5629981".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:00
S10 9	9	S104 and (RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 12:17
S11 0	545	713/170.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 09:57
S11 1	326	713/183.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 09:57
S11 2	15086	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/01 10:19
S11 3	400	S112 adj reader and keypad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 10:19

				1	_	<u> </u>
S11 4	400	S113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 10:20
S11 5	0	S114 and S110	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 10:20
S11 6	0	S113 and S110	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 10:20
S11 7	15086	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 10:20
S11 8	15086	S117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 10:20
S11 9	5	S118 and S110	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 10:44
S12 0	5	S118 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 10:47
S12 1	2289	S117 adj reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 10:45

S12 2	212	S121 and encrypt\$4 and decrypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 10:45
S12 3	187	S122 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 10:45
S12 4	77	S123 and password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 10:45